

HDM Heavy Duty Modular Rotary Valves and BSM Blowing Seals



www.rotaval.co.uk



Keeping the World's Industries Solidly in Control





ATEX 2014/34/EU Certified (Baseefa) Explosion/Flame Containment for **Class ST₂ Dusts**

HDM Heavy Duty Modular Rotary Valves and BSM Blowing Seals

Recently developed HDM Rotary and BSM Blowing Seal Valves have been designed using finite element analysis to make the housing even more robust. Where the valve feeds directly into a conveying line, the BSM range has been designed to optimise product conveying using computational fluid dynamics techniques. Replicast[®] castings used to improve the external finish of the valves and Standard, Cleanable and Fast Clean versions use just one body configuration.

With frequent spares requests for valves over 30 years old, our Rotary Valves and Blowing Seals have already gained a superb reputation for reliable long service life.





Typical Applications

- Metering device, airlock, explosion containment, flame barrier and system isolation.
- Suitable for gravity, positive pressure and vacuum conveying systems.
- Powders, granules, pellets, grain, feed and chips.
- Can be adapted for virtually all types of product characteristics.


The Advantages


- Over 15,000 different configurations that can be adapted to suit virtually all applications.
- Bespoke versions and sizes.
- 18 Month warranty.
- Valve housings are individually pressure tested for 10 bar(g) explosion and flame containment requirements.
- Backed up by 90 years collective applications experience.











HDM Direct Drive

Specifications

| Size | 150-400 mm |
|--------------|--|
| Throughput | Up to 50 m ³ /hr |
| Flanges | Round and Special flange configurations available |
| Construction | Cast iron, aluminium or stainless steel, special material grades available |
| Drive | SEW Chain or Direct Drive as standard |
| Finishes | Polished, wear-resist hard chrome or tungsten carbide, non stick PTFE |
| ATEX | Dust and gas zones - 10 bar (g) fully autonomous versions |

BSM - Dimensions/mm (Approximate)

| VALVE | A | В | C | D | E | F |
|-----------------------------|------|------|------|-------|-------|-------|
| BSM 150 | 514 | 517 | 315 | 674 | 280 | 482 |
| BSM 200 | 564 | 586 | 356 | 724 | 343 | 526 |
| BSM 250 | 647 | 657 | 429 | 873 | 406 | 625 |
| BSM 300 | 727 | 837 | 476 | 923 | 483 | 694 |
| BSM 350 | 803 | 912 | 557 | 1044 | 534 | 760 |
| BSM 400 | 853 | 944 | 616 | 1094 | 597 | 789 |
| VALVE SIZE | 150 | 200 | 250 | 300 | 350 | 400 |
| PIPE SIZE Outer Diameter | 63.5 | 76.2 | 88.9 | 101.6 | 127 | 152.4 |
| PIPE SIZE Inner Diameter | 57 | 69.7 | 82.4 | 95.1 | 120.5 | 145.9 |

Blowing Seal Modular with Chain Drive option (BSM)

HDM - Dimensions/mm (Approximate)

| VALVE | Α | В | C | D | E | F |
|-----------------------|------|------|------|------|------|------|
| HDM 150 | 514 | 517 | 280 | 674 | 280 | 477 |
| HDM 200 | 564 | 586 | 325 | 724 | 343 | 486 |
| HDM 250 | 647 | 657 | 400 | 873 | 406 | 596 |
| HDM 300 | 727 | 837 | 460 | 923 | 483 | 678 |
| HDM 350 | 803 | 912 | 530 | 1024 | 534 | 733 |
| HDM 400 | 853 | 944 | 590 | 1094 | 597 | 763 |
| | | | | | | |
| VALVE SIZE | 150 | 200 | 250 | 300 | 350 | 400 |
| CAPACITY m³/hr/rpm | 0.14 | 0.35 | 0.68 | 1.21 | 1.88 | 2.85 |



Heavy Duty Modular Rotary Valve with Direct Drive option (HDM)

Rota Val's HDM and BSM Range of Applications and ATEX Certification

All Rota Val products are designed to increase productivity and enhance reliability on site. We design and manufacture an extensive range of rotary valves to suit all bulk solids handling industries. Our range of HDM Rotary and BSM Blowing Seal Valves are supplied in a wide selection of materials to suit most applications with sizes covering 150mm to 400mm. All Rota Val products are ATEX Certificated under EC Declaration of Conformity.

Range of Applications

- Food
- General Industry
- Mineral
- Plastics
- Power and Biomass
- Process and Petrol-chemical
- Recycling


ATEX Certification

Autonomous Protective System


Internal Category: 1D or 1D2G External Category: 2D, 3D, 2G, 3G, 2GD, 3GD, Non Hazardous Notified Body Certificate No: Baseef13ATEX0004X Certification supplied with EACH valve: Notified Body certificate and Rota Val EC Declaration of Conformity

Equipment

Internal Category: 1D or 1D2G External Category: 2D, 3D, 2G, 3G, 2GD, 3GD, Non Hazardous Notified Body Certificate No: Baseef11ATEX0215X Certification supplied with EACH valve: Notified Body certificate and Rota Val EC Declaration of Conformity



Heavy Duty Modular Rotary Valve with Direct Drive option (HDM)



Blowing Seal Modular with Chain Drive option (BSM)



Rota Val Ltd., Bumpers Way, Bumpers Farm Industrial Estate, Chippenham, Wiltshire SN14 6LH

T: +44 1249 651138 F: +44 1249 462054 E: sales@rotaval.co.uk



